

## *Dell EMC*

*D-PCR-DY-23*

*Dell Technologies PowerProtect Cyber Recovery Deploy 2023*

- **Up to Date products, reliable and verified.**
- **Questions and Answers in PDF Format.**

### **Full Version Features:**

- **90 Days Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24 Hours Live Chat Support**

### **For More Information:**

**<https://www.testsexpert.com/>**

- **Product Version**

---

# Latest Version: 6.0

## Question: 1

In an environment with multiple PowerProtect DD systems the administrator notices that all PowerProtect DD systems cannot communicate with the PowerProtect Cyber Recovery software. What is the status reported by the vault?

Response:

- A. Unknown
- B. Degraded
- C. Locked
- D. Secured

**Answer: A**

## Question: 2

A customer environment has PowerProtect Data Manager with the PowerProtect Cyber Recovery solution. They want to perform a recovery test for the PowerProtect Data Manager dat

a. What options can be used to initiate the recovery session?

Response:

- A. PowerProtect Data Manager CLI or PowerProtect Cyber Recovery UI
- B. PowerProtect Cyber Recovery CLI or PowerProtect Data Manager UI
- C. PowerProtect Cyber Recovery UI or PowerProtect Cyber Recovery CLI
- D. PowerProtect Cyber Recovery UI or PowerProtect Data Manager UI

**Answer: C**

## Question: 3

What are the three content formats available when performing an analyze copy operation? (Select 3.)

Response:

- A. Filesystems
- B. vmdk
- C. Databases
- D. Restore
- E. Backup

---

**Answer: A B C**

**Question: 4**

Why is the AWS User Canonical ID needed when emailing CyberRecoveryCloudRequest@Dell.com?  
Response:

- A. To determine the AWS region to deploy PowerProtect Cyber Recovery
- B. For access to the PowerProtect Cyber Recovery AMI
- C. For access to the CloudFormation template
- D. To assign the sales order number to your account

**Answer: C**

**Question: 5**

When sizing the CyberSense server in the vault, what is the minimum network bandwidth required?  
Response:

- A. One 5 GB NIC
- B. One 10 GB NIC
- C. Two 1 GB NIC
- D. Two 10 GB NIC

**Answer: B**

**Question: 6**

Under which part of the CyberSense workflow does identifying the last clean backup fall under?  
Response:

- A. Recover
- B. Investigate
- C. Detect
- D. Prevent

**Answer: A**

**Question: 7**

---

How many Amazon Elastic Compute Cloud key pairs are recommended for the PowerProtect Cyber Recovery solution on AWS?

Response:

- A. 1
- B. 2
- C. 3
- D. 4

**Answer: C**

### Question: 8

What configuration parameters must be ready before deploying the PowerProtect Cyber Recovery virtual appliance?

Response:

- A. IP address of the VM, DNS, FQDN, and VLAN ID
- B. FQDN, DNS, default gateway, and IP address of the VM
- C. IP address of the VM, DNS, NTP, and default gateway
- D. NTP, DNS, FQDN, and IP address of the VM

**Answer: B**

### Question: 9

Where is the CyberSense feature installed in a PowerProtect Cyber Recovery environment?

Response:

- A. In a dedicated Red Hat Enterprise host in the vault.
- B. In a shared SUSE Linux Enterprise host in the vault.
- C. In the same host as the PowerProtect Cyber Recovery software.
- D. In a dedicated SUSE Linux Enterprise host in the production side.

**Answer: A**

### Question: 10

Which PowerProtect Cyber Recovery management tool provides a predefined set of operations?

Response:

- A. PowerProtect Cyber Recovery Web Toolkit

- 
- B. PowerProtect Cyber Recovery Toolkit
  - C. PowerProtect Cyber Recovery REST API
  - D. PowerProtect Cyber Recovery UI

<b>Answer: C</b>
------------------

---

For More Information – Visit link below:  
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

## Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

