

Dell EMC

D-PDD-DY-23

Dell Technologies PowerProtect DD Deploy 2023

- **Up to Date products, reliable and verified.**
- **Questions and Answers in PDF Format.**

Full Version Features:

- **90 Days Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24 Hours Live Chat Support**

For More Information:

<https://www.testsexpert.com/>

- **Product Version**

Latest Version: 6.0

Question: 1

An engineer is deploying a PowerProtect DD6900 system. The installation includes ES40, and DS60 expansion shelves on the same chain. What consideration should be made when configuring the hardware?

Response:

- A. The maximum number of ES40 shelves is four
- B. The maximum number of DS60 shelves is five
- C. The maximum number of ES40 shelves is six
- D. The maximum number of DS60 shelves is six

Answer: A

Question: 2

In a backup environment with PowerProtect DD VTL, which process is no longer needed?

Response:

- A. Shipping the tapes
- B. Manage tape library
- C. FC SAN Zoning
- D. Manage Backup catalog

Answer: A

Question: 3

An engineer is attempting to add an ES40 shelf to a PowerProtect DD9400. The system currently has one DS60 and four ES40 shelves on the same chain. The system does not recognize the additional shelf. Why has this occurred?

Response:

- A. The maximum number of shelves on the chain is exceeded
- B. An active tier license must be added for additional storage
- C. ES40 and DS60 shelves must be placed on separate chains
- D. The system capacity license is insufficient

Answer: A

Question: 4

During a normal workday an administrator notices poor performance (<1MB/s) in combination with poor global compression rate (<1x). What metrics should be monitored to find the issue?

Response:

- A. Cleaning, NVRAM battery level, and link utilization
- B. Stream count, CPU utilization, and replication
- C. Stream count, disk reconstruction, and replication
- D. NVRAM battery level, link utilization, and disk reconstruction

Answer: B

Question: 5

What is the maximum number of supported tape drives that can be configured using PowerProtect DD with at least 60 CPU cores?

Response:

- A. 526
- B. 512
- C. 1080
- D. Unlimited

Answer: C

Question: 6

What is the maximum number of concurrently active virtual tape library instances on each PowerProtect DD appliance?

Response:

- A. 32
- B. 56
- C. 64
- D. 128

Answer: C

Question: 7

Which types of replication are supported in a PowerProtect DD appliance?

Response:

- A. Collection, Directory, MTree, Pool, and Managed File
- B. Synchronous, Collection, MTree, Managed File, and Directory
- C. MTree, Collection, and Directory only
- D. Asynchronous, Collection, Directory, and MTree

Answer: C

Question: 8

How many hot spare drives does the DS60 have?

Response:

- A. 1, 2, 3, or 4
- B. 2, 4, 6, or 8
- C. 3, 6, 9, or 12
- D. The system uses distributed sparring instead of hot spares

Answer: A

Question: 9

An administrator notices that several disks on a shelf show as unknown. What should be done to resolve this issue?

Response:

- A. Enter the disk unfail command for the unknown disks
- B. Enter the storage add enclosure command
- C. Ensure the expansion shelf is cabled properly
- D. Cycle the power on the newly added expansion shelf

Answer: A

Question: 10

Which backup applications create their own storage units when they are configured to use a PowerProtect DD appliance as a backup target?

Response:

- A. Dell EMC Avamar and Veritas Backup Exec
- B. Veritas Backup Exec and NetBackup
- C. Dell EMC NetWorker and Avamar
- D. Veritas NetBackup and Dell EMC NetWorker

Answer: C

For More Information – Visit link below:
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

