

# Latest Version: 6.0

## Question: 1

What is a management module that is used for systems management functions ?

- A. Agile Software Development
- B. Content Analyzer users
- C. Running kube-bench with the -v 3 parameter
- D. Integrated Management Module (IMM)

**Answer: D**

## Question: 2

Which following appliances or operating systems can be used to create a bootable USB flash drive ?

- A. A Linux® system that is installed with Red Hat Enterprise Linux V7.5
- B. Apple Mac OS X
- C. Microsoft Windows
- D. None of the above

**Answer: A,B,C**

## Question: 3

What is a QRadar installation that uses the version of Red Hat Enterprise Linux® (RHEL) included in the QRadar ISO ?

- A. API lifecycle
- B. Incentives
- C. Public cloud
- D. Appliance installation

**Answer: D**

## Question: 4

What is a QRadar installation that uses a RHEL operating system that you provide ?

- A. Load balancing
- B. DefaultBackend
- C. Software installation
- D. Messaging

**Answer: C**

### Question: 5

When you have a variety of tools available to help you configure and manage your QRadar deployment ?

- A. As an IBM® QRadar® administrator
- B. As an Service manager
- C. As an Metering analyst
- D. All of the above

**Answer: A**

### Question: 6

Which type of experts use a series of international data centers to collect tens of thousands of malware samples, analyze web pages and URLs, and run analysis to categorize potentially malicious IP addresses and URLs ?

- A. IBM®X-Force® security experts
- B. Early adopters
- C. Execution Plan
- D. CommCell Console

**Answer: A**

### Question: 7

Data backups include the following information:

- A. Audit log information
- B. Event data
- C. Flow data
- D. Report data
- E. Indexes
- F. All of the above

**Answer: A,B,C,D,E**

### **Question: 8**

What is the process of strategically hiding data from QRadar users ?

- A. Data obfuscation
- B. Capacity reduction
- C. Cleanup
- D. Ingresses

**Answer: A**

### **Question: 9**

A profile is automatically locked when you enable it, or you can lock it manually. A locked profile has the following restrictions:

- A. You cannot edit it.
- B. You cannot enable or disable it. You must provide the keystore and unlock the profile before you can change it.
- C. You cannot delete it, even after it is unlocked.
- D. If a keystore is used with a profile that is locked, all other profiles that use that keystore are automatically locked.
- E. None of the above

**Answer: A,B,C,D**

### **Question: 10**

What are recorded in log files for tracking purposes ?

- A. Operations performed in IBM® Qradar
- B. Capacity reduction
- C. Cleanup
- D. Ingresses

**Answer: A**