

VMware

3V0-21.21

Advanced Design VMware vSphere 7.x

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

For More Information:

<https://www.testsexpert.com/>

• Product Version

Visit us at <https://www.testsexpert.com/3v0-21-21/>

Latest Version: 8.2

Question: 1

Which two of the listed requirements would be classified as performance non-functional requirements? (Choose two.)

- A. The vSphere platform must be able to provide a recovery time objective of 30 minutes
- B. The vSphere platform must be able to provide a minimum throughput of 400 MB/s
- C. The vSphere platform must be able to provide N+1 redundancy
- D. The vSphere platform must be able to provide a maximum read latency of 15 ms
- E. The vSphere platform must be able to provide a service-level agreement (SLA) of 99,9%

Answer: BD

Explanation:

Reference: <https://technicloud.com/category/vmware/>

Question: 2

An architect will be taking over control of a former Linux server fleet and repurposing the hardware into a new vSphere cluster. The current environment is already connected to the network but the hosts do not have any local disks. Since the fleet hardware is uniform, the architect can use a single ESXi image. All hosts within the cluster have the same CPU and memory capacity. Which ESXi deployment method should the architect use?

- A. Stateless cached vSphere Auto Deploy
- B. Stateless vSphere Auto Deploy
- C. Manual install of each ESXi host with an image from USB
- D. Stateful vSphere Auto Deploy

Answer: B

Explanation:

<https://www.oreilly.com/library/view/mastering-vmware-vsphere/9781787286016/28754c90-98d5-4f29-9606-1f1c2e3e1b11.xhtml>

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.esxi.install.doc/GUID-0813B4BE-485D-4129-902B-49AA42EBF54E.html>

Both Stateless caching and Stateful Auto Deploy options store ESXi configuration or state on the host disk.

Question: 3

An architect is finalizing the design for a new vCenter Server High Availability deployment. What is one thing the architect must document in the design?

- A. The load balancing algorithm used by the Management Distributed Virtual Switches (DVS)
- B. The SSH configuration settings for the vCenter Server's active node
- C. The vCenter Management Network IPv4 addresses for the witness node vCenter Server
- D. The details of each of the vCenter Server licenses for active, passive and witness nodes

Answer: B

Explanation:

vCenter HA uses SSH keys for password-less authentication between the Active, Passive, and Witness nodes. The authentication is used for heartbeat exchange and file and data replication. To replace the SSH keys in the nodes of a vCenter HA cluster, you deactivate the cluster, generate new SSH keys on the Active node, transfer the keys to the passive node, and activate the cluster.

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-B8E590BAACF4-48A1-8644-E492D2241031.html>

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.avail.doc/GUID-5F7DAFB2-60BD-4C50-A7E5-29A319CBB714.html>

Question: 4

An architect is considering placement of virtual machines within an existing VMware software-defined data center (SDDC).

During the discovery phase, the following information is documented:

Cluster One

Six ESXi hosts

vSphere HA with host failures cluster tolerates = 1

Proactive HA is enabled and set to automated

Fully Automated vSphere DRS

Transparent Page Sharing (TPS) is enabled

Cluster Two

Eight ESXi hosts

vSphere HA with host failures cluster tolerates = 1

Proactive HA is disabled

Partially Automated vSphere DRS

Transparent Page Sharing (TPS) is disabled

Cluster Three

Three ESXi hosts

vSphere HA with admission control is disabled

Proactive HA is not supported

Transparent Page Sharing (TPS) is disabled

Virtual Machine Resource Profile 1

Memory sharing techniques should not be used

Virtual machines should be automatically restarted in the event of host failure if resources are available

Automated initial virtual machine placement

Virtual Machine Resource Profile 2

Memory sharing techniques should not be used

Virtual machines should be automatically restarted in the event of host failure regardless of available resources

Automated initial virtual machine placement

Which two recommendations should the architect make for placement of the virtual machines to meet resource profile requirements? (Choose two.)

- A. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster One.
- B. All virtual machines matching Virtual Machine Resource Profile 1 should be placed on Cluster One.
- C. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster Two.
- D. All virtual machines matching Virtual Machine Resource Profile 1 should be placed on Cluster Two.
- E. All virtual machines matching Virtual Machine Resource Profile 2 should be placed on Cluster Three.

Answer: DE

Explanation:

<https://docs.vmware.com/en/VMware-vSphere/7.0/com.vmware.vsphere.resmgmt.doc/GUIDFEAC3A43-C57E-49A2-8303-B06DBC9054C5.html>

Question: 5

An architect is designing a new VMware solution for a customer that has a number of different resource profiles.

The following are the business requirements for the design:

The solution must support virtual machines with the following storage profiles:

- Write-intensive
- Backup
- Write-Once-Read-Many (WORM) archive

The solution must support migration of virtual machine disks between storage profiles.

The WORM archive data must be located at an isolated secure site.

The backup storage array must only be connected to a backup media server.

All data should be recoverable from backup.

Which design decision should the architect make to meet the business requirements?

- A. The solution will leverage a single storage array for the WORM archive and write-intensive storage profiles
- B. The solution will leverage the same array for the backup and write-intensive storage profiles
- C. The solution will leverage a different array for each storage profile
- D. The solution will leverage a single storage array for all storage profiles

Answer: C

For More Information – Visit link below:
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

