

iSQI

CPSA-FL

ISAOB Certified Professional for Software Architecture -Foundation Level

- **Up to Date products, reliable and verified.**
- **Questions and Answers in PDF Format.**

Full Version Features:

- **90 Days Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24 Hours Live Chat Support**

For More Information:

<https://www.testsexpert.com/>

• **Product Version**

Visit us at <https://www.testsexpert.com/cpsa-fl>

Latest Version: 10.1

Question: 1

What are the four key terms in common definitions of software architecture? (Choose four.)

- A. Source code
- B. Building Blocks
- C. Functionality
- D. Relationships
- E. Components
- F. Requirements
- G. Interfaces

Answer: B,D,E,F

Question: 2

What role does understandability play for architecture documentation? (Choose three.)

- A. It is desirable, but not essential.
- B. It is less important than completeness.
- C. It is an important quality characteristic.
- D. It is a quality characteristic together with correctness and efficiency.
- E. It is a quality characteristic together with simplicity and brevity.
- F. It is a quality characteristic together with scope and completeness.

Answer: C,D,E

Question: 3

HOTSPOT

Which statements regarding top-down and bottom-up design are true? (Assign all answers.)

- | true | false | |
|-----------------------|-----------------------|-------------------------------------------------------------------------------------------------|
| <input type="radio"/> | <input type="radio"/> | A) Top-down and bottom-up design may be employed in the same project. |
| <input type="radio"/> | <input type="radio"/> | B) Top-down requires that details be ignored initially. |
| <input type="radio"/> | <input type="radio"/> | C) Architects leave the bottom-up design to developers. |
| <input type="radio"/> | <input type="radio"/> | D) Generally, architects should work top-down. |
| <input type="radio"/> | <input type="radio"/> | E) Bottom-up design means to proceed from the abstract to the concrete. |
| <input type="radio"/> | <input type="radio"/> | F) Different ideas about top-down and bottom-up approaches constitute a potential for conflict. |

Answer:

- | true | false | |
|----------------------------------|-----------------------|-------------------------------------------------------------------------------------------------|
| <input type="radio"/> | <input type="radio"/> | A) Top-down and bottom-up design may be employed in the same project. |
| <input type="radio"/> | <input type="radio"/> | B) Top-down requires that details be ignored initially. |
| <input checked="" type="radio"/> | <input type="radio"/> | C) Architects leave the bottom-up design to developers. |
| <input checked="" type="radio"/> | <input type="radio"/> | D) Generally, architects should work top-down. |
| <input type="radio"/> | <input type="radio"/> | E) Bottom-up design means to proceed from the abstract to the concrete. |
| <input type="radio"/> | <input type="radio"/> | F) Different ideas about top-down and bottom-up approaches constitute a potential for conflict. |

Question: 4

HOTSPOT

Which statements with regard to project objectives and architectural objectives are true and which are false? (Assign all answers.)

- | true | false | |
|-----------------------|-----------------------|---------------------------------------------------------------------------------------------------------|
| <input type="radio"/> | <input type="radio"/> | A) Architectural objectives and project objectives need to be identical. |
| <input type="radio"/> | <input type="radio"/> | B) Most of the time, architectural objectives are of a more long-term nature than project objectives. |
| <input type="radio"/> | <input type="radio"/> | C) Architectural objectives and project objectives need to be negotiated between the concerned parties. |
| <input type="radio"/> | <input type="radio"/> | D) Architectural objectives are a subset of project objectives. |

Answer:

true false

- | | | |
|----------------------------------|----------------------------------|---------------------------------------------------------------------------------------------------------|
| <input type="radio"/> | <input checked="" type="radio"/> | A) Architectural objectives and project objectives need to be identical. |
| <input checked="" type="radio"/> | <input type="radio"/> | B) Most of the time, architectural objectives are of a more long-term nature than project objectives. |
| <input type="radio"/> | <input checked="" type="radio"/> | C) Architectural objectives and project objectives need to be negotiated between the concerned parties. |
| <input type="radio"/> | <input checked="" type="radio"/> | D) Architectural objectives are a subset of project objectives. |

Question: 5

HOTSPOT

How does management and architects work together? Decide which statements are true and which are false. (Assign all answers.)

true false

- | | | |
|-----------------------|-----------------------|-------------------------------------------------------------------------------|
| <input type="radio"/> | <input type="radio"/> | A) The project plan from management is influenced by architectural decisions. |
| <input type="radio"/> | <input type="radio"/> | B) Cost estimates are primarily the responsibility of the architect. |
| <input type="radio"/> | <input type="radio"/> | C) Architects advise project management on the definition of work packages. |
| <input type="radio"/> | <input type="radio"/> | D) Management and architects cooperate on handling of technical risks. |

Answer:

true false

- | | | |
|----------------------------------|----------------------------------|-------------------------------------------------------------------------------|
| <input type="radio"/> | <input checked="" type="radio"/> | A) The project plan from management is influenced by architectural decisions. |
| <input type="radio"/> | <input checked="" type="radio"/> | B) Cost estimates are primarily the responsibility of the architect. |
| <input type="radio"/> | <input checked="" type="radio"/> | C) Architects advise project management on the definition of work packages. |
| <input checked="" type="radio"/> | <input type="radio"/> | D) Management and architects cooperate on handling of technical risks. |

For More Information – Visit link below:
<https://www.testsexpert.com/>

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

