

VMware

2V0-71.21

Professional VMware Application Modernization

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

For More Information:

<https://www.testsexpert.com/>

• Product Version

Visit us at <https://www.testsexpert.com/2v0-71-21/>

Latest Version: 6.1

Question: 1

Which is the correct option to forward logs from Tanzu Kubernetes Grid clusters to Elastic, Kafka, Splunk or an HTTP endpoint?

- A. No action is required. Tanzu Kubernetes Grid automatically forwards the logfiles to syslog.
- B. Use the `kubectl get logs` command to forward the logs
- C. Deploy the fluent bit plugin to vRealize Log Insight
- D. Deploy Fluent Bit to forward the logs

Answer: D

Reference: <https://docs.vmware.com/en/VMware-vSphere/7.0/vmware-vsphere-with-tanzu/GUID-08DE295D-0327-4FED-804C-FC35EBFBE254.html>

Question: 2

Refer to the exhibit.

```
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
  name: standard
provisioner: kubernetes.io/aws-ebs
parameters:
  type: gp2
reclaimPolicy: Retain
allowVolumeExpansion: true
mountOptions:
  - debug
volumeBindingMode: Immediate
```

In the following StorageClass manifest, which field is used to specify the Volume Plugin driver used for underlying storage array?

- A. type
- B. name
- C. parameters
- D. provisioner

Answer: D

Reference:

https://support.purestorage.com/Solutions/VMware_Platform_Guide/User_Guides_for_VMware_Solutions/VMware_Tanzu_User_Guide/Tanzu_User_Guide%3A__vVols_Usage

Question: 3

Which option of Tanzu Mission Control is used to manage namespaces within and across clusters?

- A. Workspaces
- B. Workhome
- C. Workloads
- D. Workgroup

Answer: A

Reference: <https://docs.vmware.com/en/VMware-Tanzu-Mission-Control/services/tanzumconcepts.pdf> (6)

Question: 4

Which step must be taken to enable Kubernetes auditing on a Tanzu Kubernetes cluster?

- A. Set the ENABLE_AUDIT_LOGGING variable to 'true' before deploying the cluster
- B. Run `systemctl start auditd` && `systemctl enable auditd` on master node
- C. Audit is enabled by default on every Tanzu cluster
- D. Edit `/etc/kubernetes/audit-policy.yaml` and set ENABLE_AUDIT variable to '1' on master node

Answer: A

Reference: <https://docs.vmware.com/en/VMware-Tanzu-Kubernetes-Grid/1.3/vmware-tanzukubernetes-grid-13/GUID-troubleshooting-tkg-audit-logging.html#:~:text=To%20enable%20Kubernetes%20auditing%20on,on%20the%20control%20plane%20node>

Question: 5

What command would an administrator use to upgrade the Tanzu Management Cluster?

- A. `apt-get install -y kubeadm`

-
- B. tkg management-upgrade
 - C. tanzu-upgrade-mgt
 - D. tkg upgrade management-cluster

| |
|------------------|
| Answer: D |
|------------------|

Reference: <https://vmtechie.blog/2020/06/17/upgrade-tanzu-kubernetes-grid/>

For More Information – Visit link below:
<https://www.testsexpert.com/>

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

