Latest Version: 6.0

Question: 1

Which statement is true regarding trace-route messaging? Response:

- A. It cannot be used for a clustered queue manager
- B. It collects MQI activity information
- C. It detects the latency of messages going through a queue manager
- D. It is a technique that involves sending an IBM MQ trace-route message into a queue manager network

Answer: A

Question: 2

A channel is occasionally slow in sending messages. Which channel statistics would be most useful in identifying whether a user exit configured on the channel is responsible for the delay? Response:

- A. ExitTimeMin and MsgCount
- B. ExitTimeAvg and NetTimeAvg
- C. ExitTimeMax and PurgeCount
- D. ExitTimeAvg and ExitTimeMax

Answer: D

Question: 3

Which statement is true regarding a floating IP address that can be attached to a QMGR when using RDQM?

Response:

- A. Must be a part of different subnet
- B. Must be a part of the same subnet as all nodes
- C. Must be part of the same subnet as any one node
- D. Can be a part of a different subnet if the nodes cross data centers

Answer: B

Question: 4

If during normal operation the IBM MQ Appliance detects an intrusion, what will happen the next time the appliance restarts?

Response:

- A. The appliance will flash the Locate LED
- B. The appliance will repeatedly shut down
- C. The appliance will enter Fail Safe mode
- D. The appliance will enter Disaster Recovery mode

Answer: C

Question: 5

How is a multi-instance queue manager created? Response:

- A. Create a queue manager on both servers ensuring it is the same name on both
- B. Create a queue manager on both servers, including the server details of the other server in the QMGR settings.
- C. Create a queue manager and run the command dspmqinf on the first server then run the command addmginf on the second server.
- D. Create a queue manager on the first server, run the command dmpmqcfg on the first server and import the configuration into the second server using the command addmqcfg

Answer: C

Question: 6

An Application Developer is using a Unix queue manager and wants to know if the queue manager is set as the default. Where can this information be found? Response:

- A. qm.ini
- B. mqs.ini
- C. With the MQSC command: DIS QMGR
- D. Using the command showQueuemanagerDetails

Answer: B

Question: 7

What command line tool is used to manage queue manager objects? Response:

- A. mqm
- B. mqm.sh
- C. runmqsc
- D. mgexplorer.exe

Answer: C

Question: 8

What is one of the prerequisites to migrate a single instance queue manager to a multi-instance one? Response:

- A. Enable queue manager trace
- B. Define CLUSRCVR and CLUSSDR channels
- C. Move the queue manager data to a shared directory and reconfigure it to use that shared directory
- D. Backup the single instance queue manager, shut it down, then create a new shared queue manager and restore backed up configuration

Answer: C

Question: 9

What command is used to find out which channel is expected to process the transmission queue QM2? Response:

- A. DIS CHANNEL (QM1.TO.QM2) ALL
- B. DIS CHANNEL(*) WHERE(XMITQ EQ QM2)
- C. DIS CHANNEL (MQM) WHERE(QMGR EQ QM2)
- D. DIS CHANNEL (*) ALL (WHERE XMITQ EQ QM2)

Answer: B