

Latest Version: 6.0

Question: 1

How can a Citrix Administrator configure a rewrite policy to change the version of HTTP from 1.1 to 1.0 in every request?

- A. >add rewrite action RW_ACT replace http.res.version "\HTTPS/1.0\""
- > add rewrite policy RW_POL true RW_ACT
- B. >add rewrite action RW_ACT replace http.req.version "\HTTPS/1.1\""
- > add rewrite policy RW_POL true RW_ACT
- C. >add rewrite action RW_ACT replace http.res.version "\HTTPS/1.1\""
- > add rewrite policy RW_POL true RW_ACT
- D. >add rewrite action RW_ACT replace http.req.version "\HTTPS/1.0\""
- > add rewrite policy RW_POL true RW_ACT

Answer: B

Question: 2

Scenario: A Citrix Administrator needs to configure a Responder policy, so that the string "/mytraining" is added

to every URL path received.

The administrator should use these commands to accomplish this:

```
>add responder action Redirect_Act redirect "HTTP.REQ.URL.PATH_AND_QUERY+\mytraining\" -  
responseStatusCode 302
```

```
>add responder policy Redirect_Pol _____ Redirect_Act
```

```
>bind lb vServer lb_vsrv_www -policyName Redirect_Pol -priority 100 -gotoPriorityExpression END -  
type_____
```

(Choose the correct option to complete the set of commands.)

- A. "(HTTP.REQ.URL.STARTSWITH("\mytraining\"))"
REQUEST
- B. "(HTTP.REQ.URL.STARTSWITH("\mytraining\"))"
RESPONSE
- C. "!(HTTP.REQ.URL.ENDSWITH("\mytraining\"))"
REQUEST
- D. "!(HTTP.REQ.URL.ENDSWITH("\mytraining\"))"
RESPONSE

Answer: B

Question: 3

Scenario: A Citrix Administrator configured an authentication, authorization, and auditing (AAA) policy to allow users access through the Citrix ADC. The administrator bound the policy to a specific vServer. Which policy expression will allow all users access through the vServer?

- A. true
- B. false
- C. ns_true
- D. ns_false

Answer: A

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/aaa-tm/entities-of-authenticationauthorization-auditing/authentication-policies.html>

Question: 4

Which two steps are necessary to configure global server load balancing (GSLB) service selection using content switching (CS)? (Choose two.)

- A. Bind the domain to the CS vServer instead of the GSLB vServer.
- B. Configure CS policies that designate a load-balancing vServer as the target vServer.
- C. Configure a CS vServer of target type GSLB.
- D. Bind the GSLB domain to the GSLB vServer.

Answer: BC

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/global-server-load-balancing/how-to/configure-gslb-content-switch.html>

Question: 5

Which two policies can a Citrix Administrator configure using only the advanced policy expression? (Choose two.)

- A. DNS
- B. Integrated caching
- C. SSL
- D. System

Answer: AB

Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/appexpert/policies-and-expressions/introduction-to-policies-and-exp/classic-and-advanced-policy.html>