

# Latest Version: 6.0

## Question: 1

Which four Client Software Libraries can be used for developing applications with Oracle Internet of Things (IoT) Cloud Service?

Response:

- A. C POSIX
- B. Java SE
- C. .NET
- D. JavaScript
- E. Android
- F. VB Script

**Answer: A,B,D,E**

## Question: 2

What policy is required to be in an API if that API is to be used under a Plan?

Response:

- A. Application Rate Limiting
- B. BasicAuth
- C. Key Validation
- D. Interface Filtering

**Answer: C**

## Question: 3

Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

Response:

- A. Notification
- B. Metadata
- C. Orchestration
- D. Map Data

**Answer: C,D**

## Question: 4

What is the "Decision Table" in Business Rules in Process Cloud Service?

Response:

- A. a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data objects of a decision
- B. a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives
- C. an if/then rule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true
- D. a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

**Answer: B**

## Question: 5

What are the correct steps involved in Business process creation in Process Cloud Service?

Response:

- A. Visio (vdx), BPMN 2.0 (bpmn) and XPD 2.x (xpd)
- B. Perform WSDL configuration, XML message definition and web page design
- C. Create an Abstract, Design Services, Set up Notify, Configure Send and Receive and Decisions
- D. Create a process; assign roles to the process; Design the flow; Configure flow element properties; Define the data and then Associate the data

**Answer: D**

## Question: 6

You have been tasked with provisioning a Managed File Transfer (MFT) Cloud Service on Oracle Cloud Infrastructure (OCI). Which of provisioning requirement is NOT valid?

Response:

- A. You must create a Virtual Cloud Network in OCI with at least two subnets.
- B. You are required to obtain an authentication token for an Object Storage bucket within an accessible OCI compartment.
- C. You can use any Oracle Database instance running in either OCI or OCI Classic.
- D. Provisioning MFT requires creating a SOA Cloud Service instance in OCI choosing "MFT Cluster" as a service type.

**Answer: A**

**Question: 7**

Which two are NOT default start and end events in Process Cloud Service?

Response:

- A. Folder start and None end event
- B. SOAP start and SOAP end event
- C. None start and end event
- D. Task start and end event

**Answer: B,D**