Latest Version: 6.0

Question: 1

What are the two composite generalized data types? Response:

- A. Records and BFILE
- B. TIMESTAMP and CLOB
- C. Records and collections
- D. BLOB and CLOB

Answer: C

Question: 2

Which two statements are correct about PL/SQL package components? (Choose two)

Response:

- A. A package must have both specification and body.
- B. A package body can exist without the package specification.
- C. A package specification can exist without the package body.
- D. When a packaged public variable is called for the first time in a session, the entire package is loaded into memory.

Answer: C,D

Question: 3

Which of the following is used to map an exception to an error code? Response:

- A. SQLCODE
- B. EXCEPTION INIT
- C. RAISE_APPLICATION_ERROR function
- D. PRAGMA

Answer: B

Question: 4

Examine the following block of code:

```
CREATE OR REPLACE FUNCTION del rows

(p_table_name VARCHAR2, p_empno NUMBER)

RETURN NUMBER IS

BEGIN

EXECUTE IMMEDIATE 'DELETE FROM '|| p_table_name || WHERE empno = '|| p_empno;

END;

/

Function created
```

Which two statements are correct about the code above? (Choose two.)
Response:

- A. The function goes through only the parse and executes phases.
- B. The function goes through the parse, bind, and execute phases.
- C. The function goes through the parse, bind, execute, and fetch phases.
- D. All the processing phases for the function are performed only at run time.
- E. Only the EXECUTE IMMEDIATE statement inside the function is parsed at run time.

Answer: A,E

Question: 5

Which of the following events CANNOT cause a trigger to fire? Response:

- A. DROP
- **B. DELETE**
- C. INSERT
- D. UPDATE
- E. SELECT
- F. CREAT

Answer: E

Question: 6

SET ROLE is an example of which of the following SQL statements?

Response:

- A. System control statement
- B. Transaction control statement
- C. Embedded SQL statement
- D. Session control statement

Answer: D

Question: 7

In which of the following can a subprogram NOT be created? Response:

- A. Inside a PL/SQL block
- B. Inside a trigger
- C. Inside a package
- D. At the schema level

Answer: B

Question: 8

What is the maximum size of a trigger? Response:

- A. 64KB
- B. 32KB
- C. 16B
- D. 8KB

Answer: B

Question: 9

In which of the following places is the record variable NOT allowed? Response:

- A. In the VALUES clause of an INSERT statement.
- B. In the INTO subclause of a RETURNING clause.
- C. On the right side of the SET clause in an UPDATE statement.
- D. In a SELECT list.

Answer: D

Question: 10

Which of the following statements is NOT true about the BULK COLLECT clause? Response:

- A. B. The BULK COLLECT clause can be used both in server-side and client-side programs.
- B. It is not possible to bulk collect into an associative array that has a string type for the key.
- C. A user can combine the BULK COLLECT clause with a FORALL statement.
- D. When implicit datatype conversions are needed, multiple composite targets cannot be used in the BULK COLLECT INTO clause.

Answer: A