

Latest Version: 17.0

Question: 1

An administrator is trying to change the default LINECODE for a voice ISDN T1 PRI. Which command makes the change?

- A. linecode ami
- B. linecode hdb3
- C. linecode b8zs
- D. linecode esf

Answer: A

Question: 2

How does an administrator make Cisco IP phone display the last 10 digits of the calling number when the call is in the connected state, and also display the calling number in the E.164 format within call history on the phone?

- A. Configure a calling party transformation pattern that keeps only last 10 digits.
- B. Configure a translation pattern that has a calling Party Transform Mask of XXXXXXXXXX.
- C. On the inbound SIP trunk, change Significant Digits to 10.
- D. Change the service parameter Apply Transformations On Remote Number to True.

Answer: D

Question: 3

Which configuration tells a switch port to send Cisco Discovery protocol packets that configure an attached Cisco IP phone to trust tagged traffic that is received from a device that is connected to the access port on the Cisco IP phone?

A)

```
Router# configure terminal
Router(config)# interface gigabitethernet 5/1
Router(config-if)# platform qos trust extend cos 5
```

B)

```
Router# configure terminal
Router(config)# interface gigabitethernet 5/1
Router(config-if)# platform qos trust extend
```

C)

```
Router# configure terminal
Router(config)# interface gigabitethernet 5/1
Router(config-if)# platform qos trust extend cos 3
```

D)

```
Router# configure terminal
Router(config)# interface gigabitethernet 5/1
Router(config-if)# platform qos extend trust
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B

Question: 4

An engineer configures Cisco Unified Communications Manager to prevent toll fraud. At which two point does the engineer block the pattern in Cisco Unified CM to complete this task? (Choose two.)

- A. route pattern
- B. translation pattern
- C. route group
- D. partition
- E. CSS

Answer: D, E

Question: 5

What is a software-based media resource that is provided by the Cisco IP Voice Streaming Application?

- A. Video conference bridge
- B. transcoder
- C. annunciator
- D. auto-attendant

Answer: C