

## Question: 1

How do you trigger synchronization of all users and groups from a custom identity provider at startup?  
Choose 1 answer

- A. implement interface BootstrapConfigurer.
- B. Extend class BootstrapConfigurer
- C. Extend class AbstractUserDetailsAuthenticationProvider
- D. Implement interface ExternalIdmSourceSyncService

**Answer: B**

## Question: 2

Which of the following code snippets will ADD a custom rule expression registry to the DMN Engine configuration? Choose 1 answer.

- A. `drnnEngineConfiguration.setPreCustomExpressionFunctionRegistry(myExpressionFunctionRegistry);`
- B. `dmnEngineConfiguration.setPostCustomExpressionFunctionRegistry( myExpressionFunctionRegistry);`
- C. `dmnEngineConfiguration.setCustomExpressionFunctionRegistry( myExpressionFunctionRegistry );`
- D. `dmnEngineConfiguration.addCustomExpressionFunctionRegistryf myExpressionFunctionRegistry);`

**Answer: A**

## Question: 3

Which is an advantage of modifying the file `render-form-extensions` instead of configuring form events through Kickstart? Choose 1 answer

- A. updates to form events can be tested without re-publishing the application
- B. Form events can be debugged using the browser console
- C. Form even's can De legged to the browser console
- D. Additional form events can be made available for use

**Answer: B**

## Question: 4

Which Service Task implementations are NOT guaranteed to be thread safe? Choose 2 answers

- A. Class
- B. Method Expression
- C. Delegate Expression
- D. Delegate Expression with Field Injection
- E. value Expression

**Answer: D**

### Question: 5

Where can an additional authentication provider other than the default LDAP and database, be defined for Alfresco Process Services? Choose 1 answer.

- A. In the configureGlobal method of the implemented interface ArfrescoWebAppSecurityExtender
- B. In the configureGlobal method of the implemented interfaceAtfrescoUserDetailsServiceOverride
- C. In the configureGlobal method of the Implemented interface AlfrescoApiSecurityOverride.
- D. In the configureGlobal method of the implemented interface AlfrescoSecurityConfigOverride

**Answer: D**

Explanation

<https://docs.alfresco.com/process-services1.9/topics/securityConfigurationGlobalOverride.html>

### Question: 6

What is the name of the class that has to be extended to implement a custom report? Choose 1 answer.

- A. AbstractReportGenerator
- B. BasicReportGenerator
- C. CustomReport
- D. ReportDataRepresentation

**Answer: C**

### Question: 7

What is the scope of a new variable created using the setVariable method in a JavaDelegate? Choose 1 answer.

- A. The scope of the variable will be the one of the object instance.
- B. The scope of the variable will be local to the java class method.
- C. The scope ofthe variablewillbe global to the process

---

D. The scope of the variable will be local to the task.

**Answer: A**

### Question: 8

Which of the following approaches can be used to capture user login events in Alfresco Process Services?

Choose 1 answer

- A. Extend ArfrescoApiSecurityExtender
- B. Implement LoginListener
- C. Enable Security Event Auditing in the Alfresco Admin application.
- D. Enable Security Event Auditing in the Alfresco Tenant Management application

**Answer: C**