Latest Version: 14.0

Question: 1

You need to meet the user requirement for Admin1. What should you do?

A. From the Subscriptions blade, select the subscription, and then modify the Properties.

B. From the Subscriptions blade, select the subscription, and then modify the Access control (IAM) settings.

C. From the Azure Active Directory blade, modify the Properties.

D. From the Azure Active Directory blade, modify the Groups.

Answer: A

Explanation:

Change the Service administrator for an Azure subscription

Sign in to Account Center as the Account administrator.

Select a subscription.

On the right side, select Edit subscription details.

Scenario: Designate a new user named Admin1 as the service administrator of the Azure subscription.

References: https://docs.microsoft.com/en-us/azure/billing/billing-add-change-azure-subscriptionadministrator

Question: 2

You need to move the blueprint files to Azure. What should you do?

A. Generate a shared access signature (SAS). Map a drive, and then copy the files by using File Explorer.

- B. Use the Azure Import/Export service.
- C. Generate an access key. Map a drive, and then copy the files by using File Explorer.
- D. Use Azure Storage Explorer to copy the files.

Answer: D

Explanation:

Azure Storage Explorer is a free tool from Microsoft that allows you to work with Azure Storage data on Windows, macOS, and Linux. You can use it to upload and download data from Azure blob storage. Scenario:

Planned Changes include: move the existing product blueprint files to Azure Blob storage.

Technical Requirements include: Copy the blueprint files to Azure over the Internet.

References: https://docs.microsoft.com/en-us/azure/machine-learning/team-data-scienceprocess/

move-data-to-azure-blob-using-azure-storage-explorer

Question: 3

You need to implement a backup solution for App1 after the application is moved. What should you create first?

A. a recovery plan

B. an Azure Backup Server

C. a backup policy

D. a Recovery Services vault

Answer: D

Explanation:

A Recovery Services vault is a logical container that stores the backup data for each protected resource, such as Azure VMs. When the backup job for a protected resource runs, it creates a recovery point inside the Recovery Services vault.

Scenario:

There are three application tiers, each with five virtual machines.

Move all the virtual machines for App1 to Azure.

Ensure that all the virtual machines for App1 are protected by backups.

References: https://docs.microsoft.com/en-us/azure/backup/quick-backup-vm-portal

Question: 4

HOTSPOT

You need to recommend a solution for App1. The solution must meet the technical requirements. What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Number of virtual networks:


	▼
1	
2	
3	

Number of subnets per virtual network:

	Ŧ
1	
2	
3	

Answer:

Number of virtual networks:



Number of subnets per virtual network:

	Ŧ
1	
2	
3	

Explanation: Box 1: 3 One virtual network for every tier Box 2: 1 Only one subnet for each tier, to minimize the number of open ports. Scenario: You have a public-facing application named App1. App1 is comprised of the following three tiers: A SQL database A web front end A processing middle tier Each tier is comprised of five virtual machines. Users access the web front end by using HTTPS only. Technical requirements: Move all the virtual machines for App1 to Azure.

Minimize the number of open ports between the App1 tiers.

Question: 5

HOTSPOT

You need to configure the Device settings to meet the technical requirements and the user requirements.

Which two settings should you modify? To answer, select the appropriate settings in the answer area.

Answer Area	
🖪 Save 🗙 Discard	
Users may join devices to Azure AD 6 All Selec	cted None
Selected	
No member selected	
Additional local administrators on Azure AD joined devic	es 🛙 Selected None
Selected	
No member selected	
Users may register their devices with Azure AD $oldsymbol{0}$	All None
Require Multi-Factor Auth to join devices	Yes No
Maximum number of devices per user 1	50
Users may sync settings and app data across devices 0	All Selected None

sers may sync settings and app data across devices	All	Selected	None
Selected			
No member selected			

Answer:

Jsers may join devices to Azure AD 🖲	All	Selected	None	
Selected				
No member selected				
Additional local administrators on Azure A	AD joined	d devices O	Selected	None
Selected				

Users may register their devices with Azure AD $oldsymbol{0}$	All	None	
Require Multi-Factor Auth to join devices 🛛	Yes	No	
Maximum number of devices per user 🛛	50	50	

Users may sync settings and app data across devices 0	All	Selected	None	ľ
	10,000		W. Brech Hard	4

Explanation: Box 1: Selected Only selected users should be able to join devices Box 2: Yes

Require Multi-Factor Auth to join devices.

From scenario:

Ensure that only users who are part of a group named Pilot can join devices to Azure AD

Ensure that when users join devices to Azure Active Directory (Azure AD), the users use a mobile phone to verify their identity.