

Version: 10

Question: 1

Which of the following option is not a part of The Web Intelligence Query Process?
Please choose the correct answer.

Response:

- A. Run the query
- B. Launch panel to generate data
- C. SQL is executed to extract data
- D. Report is displayed

Answer: B

Question: 2

You want to force the calculation context of a variable in a table so that its values do not change when a dimension is added to the table. Which of the following statements is correct?

Please choose the correct answer.

Response:

- A. You include the dimension using the input context.
- B. You exclude the dimension using the input context.
- C. You include the dimension using the output context.
- D. You exclude the dimension using the output context.

Answer: D

Question: 3

Which two methods can you use to define document properties?

There are 2 correct answers to this question.

Response:

- A. Click the report tab, select "Document Properties" and enter the required information.

- B. Right-click the report tab, select "Document Properties" and enter the required information.
- C. Right-click a blank space on the report page, select "Document Properties" and enter the required information.
- D. In the Properties tab of the Report Manager, select "Document Properties" and enter the required information.

Answer: BC

Question: 4

Which four authentication methods are available for Web intelligence Rich Client?
There are 4 correct answers to this question.
Response:

- A. AD
- B. NT
- C. LDAP
- D. Vintella
- E. Kerberos
- F. Enterprise

Answer: ABCF

Question: 5

Which Report Manager tab should you use to add a free-standing cell to a BusinessObjects Web Intelligence 4.0 document (WID)?
Please choose the correct answer.
Response:

- A. Map
- B. Data
- C. Template
- D. Properties

Answer: C

Question: 6

For what purposes can you use the Page Layout of a report?
There are 2 correct answers to this question.
Response:

- A. To display the definition of the block.
- B. To define how the report will look like in PDF mode.
- C. To define how the report will look like when printed.
- D. To display the report page by default.

Answer: BC

Question: 7

How do you duplicate a query?
Please choose the correct answer.
Response:

- A. Choose Duplicate Query in the Tools Menu
- B. Select Duplicate Query in Properties in the Query Panel
- C. Right-click Query in the Report Manager and select Duplicate Query
- D. Right-click the Query Tab in the Query Panel and select Duplicate Query

Answer: D

Question: 8

Which three statements are true of contexts?
There are 3 correct answers to this question.
Response:

- A. Contexts are defined in a report.
- B. Contexts are defined in a universe.
- C. You can combine objects in different contexts.
- D. You can combine any objects within the same context to create a query.

Answer: BCD

Question: 9

In which two situations should you use sub-queries?
There are 2 correct answers to this question.
Response:

- A. When the query filter involves values that are known
- B. When the query filter involves values that are not known

- C. When the query filter for the report involves a value that will change over time
- D. When the query filter for the report involves a value that will never change over time

Answer: BC

Question: 10

Explain the different types of data changes that Web Intelligence can highlight with the data tracking feature?

There are 2 correct answers to this question

Response:

- A. Multiple data
- B. Duplicate data
- C. Removed data
- D. Modified data

Answer: CD

Question: 11

From the following identify which of the option is not a method to copy a chart from Web Intelligence to a target application?

Please choose the correct answer.

Response:

- A. Right-click the chart, and, from the contextual menu, select Copy.
- B. In the target document, right-click the section cell and, from the contextual menu, click Copy
- C. In the target document, right-click the area where you want the table to appear and, from the contextual menu, select Paste
- D. Drag and drop the table from Web Intelligence to the target application

Answer: B

Question: 12

Which three rules apply when you manually synchronize queries?

There are 3 correct answers to this question.

Response:

- A. Dimension value formats must be the same.
- B. Dimensions with different names can be merged.

- C. Dimensions with different data types can be merged.
- D. Dimensions from multiple data sources can be merged.

Answer: ABD

Question: 13

Which two statements are true of grouping sets when using smart measures?
Please choose the correct answer.

Response:

- A. It is a set of dimensions that generates a result for a measure.
- B. It is a set of measures that generates a result for a dimension.
- C. The generated SQL includes grouping sets for all the aggregations of that dimension that are included in the report.
- D. The generated SQL includes grouping sets for all the aggregations of that measure that are included in the report.

Answer: AD

Question: 14

Which DaysBetween() function syntax should you use to calculate the number of years since your birth, assuming the date object is Birth_date?

Please choose the correct answer.

Response:

- A. =DaysBetween([Birth_date] ; CurrentDate) / 365.25
- B. =DaysBetween([Birth_date] , CurrentDate()) / 365.25
- C. =DaysBetween([Birth_date] ; CurrentDate()) / 365.25
- D. =DaysBetween(CurrentDate() ; [Birth_date]) / 365.25

Answer: C

Question: 15

Which three data sources can you synchronize in a Web Intelligence 4.0 document (WID)?
There are 3 correct answers to this question.

Response:

- A. Personal data files
- B. Stored procedure data source

- C. Queries from the same universe
- D. Queries from different universes

Answer: ACD