

Latest Version: 6.0

Question: 1

Where do you enable the Fast Startup property?

- A. Application
- B. Preferences
- C. Data Sources
- D. Data source connection

Answer: A

Question: 2

What can you create in an adaptive layout container?

- A. Panel
- B. Text
- C. Crosstab
- D. Block

Answer: D

Question: 3

Which main functions of a composite can you use after adding it to an application? Note: There are 2 correct answers to this question.

- A. Define Data Binding
- B. Define Events
- C. Maintain Composite Group
- D. Maintain Properties

Answer: B,C

Question: 4

Which of the following components can you create with the Components API? Note: There are 2 correct answers to this question.

- A. Bindings
- B. Data Sources
- C. Global Variables
- D. Containers

Answer: B,C

Question: 5

Which of the following SAP recommendations should you consider when you use parallel processing? Note: There are 2 correct answers to this question.

- A. Deactivate the JavaScript compression in the server.xml file.
- B. Minimize the number of processing groups.
- C. Avoid using parallel processing with queries with very short runtimes.
- D. Choose a row scope dimension that minimizes the number of sessions.

Answer: B,C

Question: 6

Which data sources can you connect directly using SAP Lumira, designer edition? Note: There are 2 correct answers to this question.

- A. .unv Universes
- B. BW Queries
- C. BW DataSources
- D. .unx Universes

Answer: C,D

Question: 7

Where can you write JavaScript to open a prompt dialog?

- A. Data source
- B. Variable
- C. Crosstab
- D. Application

Answer: D

Question: 8

You applied multiple conditional formatting rules to a component. Which rule takes priority?

- A. The first formatting rule in the list
- B. The last formatting rule in the list
- C. The first formatting rule that was created
- D. The last formatting rule that was created

Answer: A

Question: 9

You create several dynamic components. What can you use to manage these components? Note: There are 2 correct answers to this question.

- A. Planning object
- B. Filter line
- C. Global array
- D. Panel component

Answer: B,D

Question: 10

You created the Adaptive Layout component from the screenshot with 2 blocks. The Adaptive Layout component preview of viewport is medium. Each block has the medium colspan set to 6. What happens if you change the medium colspan of one block to 7?

- A. The blocks will be distributed vertically.
- B. The blocks will be distributed horizontally.
- C. One of the blocks will NOT be displayed.
- D. The blocks will remain aligned next to each other.

Answer: A