

# Latest Version: 15.0

## Question: 1

DRAG DROP

Match the Palo Alto Networks Security Operating Platform architecture to its description.

|                                     |                  |   |
|-------------------------------------|------------------|---|
| <b>Threat Intelligence Cloud</b>    | Drag answer here | Identifies and inspects all traffic to block known threats.   |
| <b>Next-Generation Firewall</b>     | Drag answer here | Gathers, analyzes, correlates, and disseminates threats to and from the network and endpoints located within the network. |
| <b>Advanced Endpoint Protection</b> | Drag answer here | Inspects processes and files to prevent known and unknown exploits.   |

**Answer:**

Threat Intelligence Cloud – Gathers, analyzes, correlates, and disseminates threats to and from the network and endpoints located within the network.

Next-Generation Firewall – Identifies and inspects all traffic to block known threats

Advanced Endpoint Protection - Inspects processes and files to prevent known and unknown exploits

## Question: 2

Which firewall plane provides configuration, logging, and reporting functions on a separate processor?

- A. control
- B. network processing
- C. data
- D. security processing

**Answer: A**

## Question: 3

A security administrator has configured App-ID updates to be automatically downloaded and installed. The company is currently using an application identified by App-ID as SuperApp\_base.

On a content update notice, Palo Alto Networks is adding new app signatures labeled SuperApp\_chat and SuperApp\_download, which will be deployed in 30 days.

Based on the information, how is the SuperApp traffic affected after the 30 days have passed?

- A. All traffic matching the SuperApp\_chat, and SuperApp\_download is denied because it no longer matches the SuperApp-base application
- B. No impact because the apps were automatically downloaded and installed
- C. No impact because the firewall automatically adds the rules to the App-ID interface
- D. All traffic matching the SuperApp\_base, SuperApp\_chat, and SuperApp\_download is denied until the security administrator approves the applications

**Answer: A**

Explanation:

<https://docs.paloaltonetworks.com/pan-os/9-0/pan-os-admin/app-id/manage-new-app-ids-introduced-in-content-releases/review-new-app-id-impact-on-existing-policy-rules>

### Question: 4

How many zones can an interface be assigned with a Palo Alto Networks firewall?

- A. two
- B. three
- C. four
- D. one

**Answer: D**

### Question: 5

Which two configuration settings shown are not the default? (Choose two.)

## Palo Alto Networks User-ID Agent Setup

Enable Security Log ✓  
Server Log Monitor Frequency (sec) **15**  
Enable Session ✓  
Server Session Read Frequency (sec) **10**  
Novell eDirectory Query Interval (sec) **30**  
Syslog Service Profile  
Enable Probing  
Probe Interval (min) **20**  
Enable User Identification Timeout ✓  
User Identification Timeout (min) **45**  
Allow matching usernames without domains  
Enable NTLM  
NTLM Domain  
User-ID Collector Name

- A. Enable Security Log
- B. Server Log Monitor Frequency (sec)
- C. Enable Session
- D. Enable Probing

**Answer: B,C**