

Latest Version: 8.1

Question: 1

Which three statements about a flow-based antivirus profile are correct? (Choose three.)

- A. IPS engine handles the process as a standalone.
- B. FortiGate buffers the whole file but transmits to the client simultaneously.
- C. If the virus is detected, the last packet is delivered to the client.
- D. Optimized performance compared to proxy-based inspection.
- E. Flow-based inspection uses a hybrid of scanning modes available in proxy-based inspection.

Answer: BDE

Question: 2

Refer to the exhibit.

```
STUDENT # get system session list
```

PROTO	EXPIRE	SOURCE	SOURCE-NAT	DESTINATION	DESTINATION-NAT
tcp	3598	10.0.1.10:2706	10.200.1.6:2706	10.200.1.254:80	-
tcp	3598	10.0.1.10:2704	10.200.1.6:2704	10.200.1.254:80	-
tcp	3596	10.0.1.10:2702	10.200.1.6:2702	10.200.1.254:80	-
tcp	3599	10.0.1.10:2700	10.200.1.6:2700	10.200.1.254:443	-
tcp	3599	10.0.1.10:2698	10.200.1.6:2698	10.200.1.254:80	-
tcp	3598	10.0.1.10:2696	10.200.1.6:2696	10.200.1.254:443	-
udp	174	10.0.1.10:2694	-	10.0.1.254:53	-
udp	173	10.0.1.10:2690	-	10.0.1.254:53	-

Which contains a session list output. Based on the information shown in the exhibit, which statement is true?

- A. Destination NAT is disabled in the firewall policy.
- B. One-to-one NAT IP pool is used in the firewall policy.
- C. Overload NAT IP pool is used in the firewall policy.
- D. Port block allocation IP pool is used in the firewall policy.

Answer: B

Question: 3

Which two statements are correct regarding FortiGate FSSO agentless polling mode? (Choose two.)

- A. FortiGate points the collector agent to use a remote LDAP server.
- B. FortiGate uses the AD server as the collector agent.
- C. FortiGate uses the SMB protocol to read the event viewer logs from the DCs.
- D. FortiGate queries AD by using the LDAP to retrieve user group information.

Answer: CD

Question: 4


Which three options are the remote log storage options you can configure on FortiGate? (Choose three.)

- A. FortiCache
- B. FortiSIEM
- C. FortiAnalyzer
- D. FortiSandbox
- E. FortiCloud

Answer: BCE

Question: 5

Refer to the exhibit.



The exhibit contains a network diagram, virtual IP, IP pool, and firewall policies configuration.

The WAN (port1) interface has the IP address 10.200.1.1/24.

The LAN (port3) interface has the IP address 10.0.1.254/24.

The first firewall policy has NAT enabled using IP Pool.

The second firewall policy is configured with a VIP as the destination address.

Which IP address will be used to source NAT the internet traffic coming from a workstation with the IP address 10.0.1.10?

- A. 10.200.1.1
- B. 10.200.3.1
- C. 10.200.1.100
- D. 10.200.1.10

Answer: A

Explanation:

Reference: <https://help.fortinet.com/fo60hlp/60/Content/FortiOS/fortigate-firewall/Concepts%20-%20Firewall/Static%20NAT.htm>