

Latest Version: 8.0

Question: 1

You are the admin user of an Autonomous Database (ADB) instance. A new business analyst has joined the team and would like to explore ADB tables using SQL Developer Web. What steps do you need to take?

- A. Create a database user (with connect, resource, object privileges), enable the schema to use SQL Developer and provide the user with the user-specific modified URL.
- B. Create a database user with the default privileges.
- C. Create a database user with connect, resource, and object privileges.
- D. Create an IDCS user. Create a database user with connect, resource, and object privileges.

Answer: A

Question: 2

What is the correct way to list all files in the default data pump directory?

- A. By executing `select * from DBMS_CLOUD.LIST_FILES('DATA_PUMP_DIR');`
- B. You cannot list files in the default data pump directory from Autonomous Data Warehouse (ADW).
- C. Log onto ADW server and issue `ls -al` on the command line.
- D. By executing `select * from utl_file . list ('DATA_PUMP_DIR ');`

Answer: A

Question: 3

What REST verb is used to create an Autonomous Database service using REST APIs?

- A. An "INSERT" REST call
- B. A "GET" REST call
- C. A "POST" REST call
- D. A "PUT" REST call

Answer: C

Explanation:

<https://docs.oracle.com/en/cloud/paas/integration-cloud/rest-api/SendRequests.html>

Question: 4

When using Data Pump to migrate your Oracle database to Autonomous Database, which two objects are imported?

- A. Data
- B. Schemas
- C. Tablespaces
- D. Reports

Answer: AB

Question: 5

What are two differentiators of Oracle Autonomous Database Dedicated Infrastructure?

- A. Users have OS access to the database machine.
- B. Users can customize the maintenance schedule.
- C. It offers greater control and isolation starting at the Exadata cloud infrastructure level.
- D. Users have SYS privileges in the database.
- E. Users can customize the OS stack and add additional packages

Answer: CD