

Latest Version: 5.0

Question: 1

You need to connect Vnet2 and Vnet3. The solution must meet the virtual networking requirements and the business requirements.

Which two actions should you include in the solution? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the peerings from Vnet2 and Vnet3, select Use remote gateways.
- B. On the peering from Vnet1, select Allow forwarded traffic.
- C. On the peering from Vnet1, select Use remote gateways.
- D. On the peering from Vnet1, select Allow gateway transit.
- E. On the peerings from Vnet2 and Vnet3, select Allow gateway transit.

Answer: BD

Question: 2

DRAG DROP

You need to prepare Vnet1 for the deployment of an ExpressRoute gateway. The solution must meet the hybrid connectivity requirements and the business requirements.


Which three actions should you perform in sequence for Vnet1? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create a VPN gateway by using the VPNGW1 SKU.
- Assign a user-defined route to GatewaySubnet.
- Set the subnet mask of GatewaySubnet to /27.
- Delete VPNGW1.
- Create a VPN gateway by using the Basic SKU.


Answer Area

Answer:




Question: 3

HOTSPOT
 You need to implement a P2S VPN for the users in the branch office. The solution must meet the hybrid networking requirements.
 What should you do? To answer, select the appropriate options in the answer area.
 NOTE: Each correct selection is worth one point.



Answer:



Question: 4

You need to provide connectivity to storage1. The solution must meet the PaaS networking requirements and the business requirements.
 What should you include in the solution?

- A. a service endpoint
- B. Azure Front Door
- C. a private endpoint
- D. Azure Traffic Manager

Answer: D

Question: 5

HOTSPOT

You need to recommend a configuration for the ExpressRoute connection from the Boston datacenter. The solution must meet the hybrid networking requirements and business requirements.

What should you recommend? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Set the ExpressRoute gateway type to:

	▼
High Performance (ERGW2AZ)	
Standard Performance (ERGW1AZ)	
Ultra Performance (ERGW3AZ)	

To minimize latency of traffic to Vnet2:

	▼
Create a dedicated ExpressRoute circuit for Vnet2	
Connect Vnet2 directly to the ExpressRoute circuit	
Configure gateway transit for the peering between Vnet1 and Vnet2	

Answer:

Set the ExpressRoute gateway type to:

	▼
High Performance (ERGW2AZ)	
Standard Performance (ERGW1AZ)	
Ultra Performance (ERGW3AZ)	

To minimize latency of traffic to Vnet2:

	▼
Create a dedicated ExpressRoute circuit for Vnet2	
Connect Vnet2 directly to the ExpressRoute circuit	
Configure gateway transit for the peering between Vnet1 and Vnet2	