

Latest Version: 6.0

Question: 1

Which tool generates and executes the SQL for a specific node of your calculation view?

- A. SQL analyzer
- B. Database explorer
- C. Debug Query mode
- D. Explain plan

Answer: C

Question: 2

You are managing your source files using Git. In which sequence does your file progress towards a COMMIT?

- A. Working directory -> Local Git repository -> Staging area
- B. Working directory -> Staging area -> Local Git repository
- C. Local Git repository -> Staging area -> Working directory
- D. Staging area -> Working directory -> Local Git repository

Answer: B

Question: 3

Why might you use the Keep Flag property in an aggregation node?

- A. To include columns that are NOT requested by a query but are essential for the correct result
- B. To retain the correct aggregation behavior in stacked views
- C. To ensure that the aggregation behavior defined in the aggregation node for a measure CANNOT be overridden by a query
- D. To exclude columns that are NOT requested by a query to avoid incorrect results

Answer: A

Question: 4

Which of the following are standard options provided to define analytic privileges? Note: There are 3 correct answers to this question.

- A. Graph
- B. Attributes
- C. SQL expression
- D. Dynamic
- E. Hierarchy function

Answer: B,C,D

Question: 5

You want to ensure that your calculation view does not give unexpected results based on the selected columns in the query. What is the recommended approach for verifying the results?

- A. Set the HIDE property for columns NOT required.
- B. Select and deselect columns from the output mapping.
- C. Execute a custom SQL query in the SQL Console.
- D. Select Data Preview for the calculation view.

Answer: C,D

Question: 6

Why do you use the Hidden Columns checkbox in the semantics node of your calculation view? Note: There are 2 correct answers to this question.

- A. To avoid exposing sensitive columns when defining calculated columns
- B. To prevent passing columns in stacked calculation views
- C. To remove a column that is also used as a Label column
- D. To ensure specific columns are NOT exposed to the reporting tool

Answer: C,D

Question: 7

In a database module, what is the purpose of the .hdiconfig file?

- A. To specify in which space the container should be deployed
- B. To specify an external schema in which calculation views will get their data
- C. To specify the namespace rules applicable to the name of database objects

D. To specify which HDI plug-ins are available

Answer: D

Question: 8

Which type of join supports a temporal condition in a calculation view?

- A. Inner join
- B. Text join
- C. Referential join
- D. Left outer join

Answer: A

Question: 9

What is the recommended tool for developing cloud foundry applications on SAP Business Technology Platform?

- A. SAP HANA Web IDE
- B. SAP Business Application Studio
- C. SAP HANA Cloud Central
- D. SAP HANA cockpit

Answer: B

Question: 10

Why would you create calculation views of data category DIMENSION with type TIME?

- A. To provide the time intervals required by time-dependent parent-child hierarchies
- B. To add a temporal condition to a join to find matching records from two tables based on a date
- C. To provide additional time-related navigation possibilities
- D. To store historical versions of attributes

Answer: C