

# Latest Version: 7.0

## Question: 1

An Off-Host backup proxy processing VMs on Microsoft SMB3 possibly requires which of the following permissions?

Response:

- A. The off-host backup proxy must be located in the same domain where the Microsoft SMB3 server resides
- B. The account used to make Off-Host backups needs to be Domain Administrator.
- C. The Local System account of the off-host backup proxy needs only read access permissions on the Microsoft SMB3 file share
- D. The domain where the Microsoft SMB3 server resides must be trusted by the domain in which the off-host backup proxy is located

**Answer: AB**

## Question: 2

Convoituring, a car sharing company, is deploying a new Veeam Backup & Replication server to use in a POC. Which server OS is recommended to use in the POC?

Response:

- A. CentOS 7
- B. Any supported OS will do equally fine
- C. Windows Server 2016
- D. Windows Server 2012 R2
- E. Windows Server 2008 R2 SP1

**Answer: C**

## Question: 3

Veeam Games, Inc. do not use vSphere tags in their current vSphere setup. They have decided to dynamically scope their virtual machine backup jobs using vSphere tags. Which Veeam Availability Suite capability will satisfy this requirement?

Response:

- A. Protection groups
- B. Business View categorization

- C. Failover plans
- D. Application groups

**Answer: B**

### Question: 4

Veeam Games, Inc. have a single Active Directory domain spanning all sites. How might this represent a risk to the data protection project?

(Choose 3)

Response:

- A. If the domain is compromised by a malicious actor, the backup infrastructure or archives may be under threat.
- B. A single Active Directory domain requires complex DNS configuration to ensure the required level of security for Veeam components.
- C. Veeam components are not supported in any Active Directory environment. They must be installed in a standalone workgroup.
- D. It stands in opposition to the stated requirements.
- E. Vendor components will be installed in a production environment. Any data protection solution should be separate from the environment it is intended to protect.

**Answer: ADE**

### Question: 5

You are reviewing the customer requirements and need to create a first sizing check to validate the available backup window. What information is lacking to fulfill this calculation?

(Choose 3)

Response:

- A. Amount of data per site
- B. Available time window for the backups
- C. Number of virtual machines per site
- D. Bandwidth between sites
- E. Daily change rate of data

**Answer: ACE**

### Question: 6

Match a backup method and the impact it has on the destination storage I/O

Response:

A. Synthetic full with transform to rollbacks - 4° total I/O

Synthetic full backup - 2° total I/O

Reverse incremental - 3° total I/O

Forward incremental backup - 1° total I/O

B. Synthetic full with transform to rollbacks - 1° total I/O

Synthetic full backup - 2° total I/O

Reverse incremental - 3° total I/O

Forward incremental backup - 4° total I/O

C. Synthetic full with transform to rollbacks - 2° total I/O

Synthetic full backup - 4° total I/O

Reverse incremental - 3° total I/O

Forward incremental backup - 1° total I/O

D. Synthetic full with transform to rollbacks - 3° total I/O

Synthetic full backup - 4° total I/O

Reverse incremental - 1° total I/O

Forward incremental backup - 2° total I/O

**Answer: B**

## Question: 7

Veeam Games, Inc. has decided to leverage vSphere tags to dynamically group virtual machines requiring the same backup policy.

Occasionally, the VMware team needs to temporarily exclude a given set of virtual machines from backup operations for maintenance reasons such as Windows updates and Linux patches.

What is the least disruptive way to meet that requirement?

Response:

A. Edit the backup job and add the relevant virtual machines to the exclusion list. The next time the backup job runs, these virtual machines will be excluded from backup.

B. Tag the relevant virtual machines with a no backup tag. The backup job is configured to exclude virtual machines with that tag. The next time the backup job runs, these virtual machines will be excluded from backup.

C. Edit the backup job and change the tag combination for all virtual machines. The next time the backup job runs, the relevant virtual machines will be excluded from backup.

D. Remove the grouping tags from the relevant virtual machines. The next time the backup job runs, these virtual machines will be excluded from backup.

**Answer: B**

## Question: 8

Select the true statements to help identify the workloads that are at risk of not meeting the GFS requirements.

(Choose 2)

Response:

- A. The SAP/HANA plugin only supports Forever Forward backup chain.
- B. For NAS backups, only file versions that fall outside the specified (on-premises) retention time can be archived.
- C. Object archive backups fully support replication from bucket to bucket but not GFS retention.
- D. A full copy of the NAS backup can be archived using the Scale-out Backup Repository capacity tier. However, a NAS backup copy job does not allow for GFS retention.
- E. The RMAN plug-in and SAP/HANA plug-in enable access to Veeam Backup Repositories. It is possible to set up application backup copy jobs, but GFS is not an option.

**Answer: BE**

## Question: 9

After the initial design is complete, Veeam Games, Inc. announces the acquisition of a strategy game company. As a result, the amount of virtual and physical machines being backed up will increase. What components' resource requirements will need to be adjusted as a result to ensure backup windows are met?

(Choose 2)

Response:

- A. Number of proxy servers
- B. Repository resources
- C. Veeam ONE database
- D. Metadata cache
- E. Increase Enterprise Manager resources

**Answer: AB**

## Question: 10

Veeam Games, Inc. has expressed an interest in moving some workloads to a public cloud in the future. Which components should be included in the solution to streamline the process if they decide to proceed with this plan?

(Choose 2)

Response:

- A. Linux repository server in the target cloud
- B. Veeam proxy server in the target cloud
- C. Capacity tier with copy mode enabled
- D. Stand-by backup server in the target cloud
- E. Windows repository server in the target cloud

**Answer: CD**