## Latest Version: 25.0

## Question: 1

A Visualforce page loads slowly due to the large amount of data it displays. Which strategy can a developer use to improve the performance?

A. use lazy loading to load the data on demand, instead of in the controller's constructor.

- B. use an <apex:actionPoller> in the page to load all of the data asynchronously.
- C. use Javascript to move data processing to the browser instead of the controller.
- D. Use the transient keyword for the List variables used in the custom controller.

Answer: A

## Question: 2

Universal Containers wants to use a Customer Community with Customer Community Plus licenses so their customers can track how many of containers they are renting and when they are due back. Many of their customers are global companies with complex Account hierarchies, representing various departments within the same organization. One of the requirements is that certain community users within the same Account hierarchy be able to see several departments' containers, based on a junction object that relates the Contact to the various Account records that represent the departments. Which solution solves these requirements?

- A. A Custom Report Type and a report Lightning Component on the Community Home Page
- B. An Apex Trigger that creates Apex Managed Sharing records based on the junction object's relationships
- C. A Custom List View on the junction object with filters that will show the proper records based on owner
- D. A Visualforce page that uses a Custom Controller that specifies without sharing to expose the records

Answer: A

#### **Question: 3**

Universal Containers wants to use an external Web Service provided by a third-party vendor to validate that shipping and billing addresses are correct. The current vendor uses basic password authentication, but Universal Containers might switch to a different vendor who uses OAuth. What would allow Universal Containers to switch vendors without updating the code to handle authentication?

A. Custom Setting (List)

- B. Custom Metadata
- C. Named Credential
- D. Dynamic Endpoint

**Answer: C** 

#### Question: 4

A company has a Lightning Page with many Lightning Components, some that cache reference data. It is reported that the page does not always show the most current reference data. What can a developer use to analyze and diagnose the problem in the Lightning Page?

- A. Salesforce Lightning Inspector Storage Tab
- B. Salesforce Lightning Inspector Actions Tab
- C. Salesforce Lightning Inspector Event Log Tab
- D. Salesforce Lightning Inspector Transactions Tab

**Answer: A** 

# Question: 5

A company has code to update a Request and Request Lines and make a callout to their external ERP system's REST endpoint with the updated records.

```
public void updateAndMakeCallout (Map<Id, Request__c> reqs, Map<I
d, Request_Line_c> reqLines) {
   Savepoint sp = Database.setSavepoint();
   try {
    insert reqs.values({);
    insert reqLines.values({);
   HttpResponse response = CalloutUtil.makeRestCallout (reqs.keySet
   ({), reqLines.keySet{}));
   } catch (Exception e) {
   Database.rollback(sp);
   System.debug(e);
   }
}
```

The CalloutUtil. makeRestCallout fails with a 'You have uncommitted work pending. Please commit or rollback before calling out' error. What should be done to address the problem?

- A. Change the CalloutUtil.makeRestCallout to an @InvocableMethod method.
- B. Remove the Database.setSavepoint and Database.rollback.
- C. Move the CalloutUtil.makeRestCallout method call below the catch block.

D. Change the CalloutUtil.makeRestCallout to an @future n
---

**Answer: D**